hydrobiologia

volume 337, nos. 1–3, november 1, 1996

Stochastic models that predict trout population density or biomass on a mesohabitat scale
by P. Baran, S. Lek, M. Delacoste & A. Belaud 1–9

Downstream variations of phytoplankton in the St. Lawrence River (Québec, Canada)
by C. Hudon, S. Paquet & V. Jarry 11–26

Redescription of *Vorticella oceanica* Zacharias, 1906 (Ciliophora: Peritrichia) with notes on its host, the marine planktonic diatom *Chaetoceros coarctatum* Lauder, 1864
by S. Nagasawa & A. Warren 27–36

Population characteristics of green tiger prawns, *Penaeus semisulcatus*, in Kuwait waters prior to the Gulf War
by H.M.A. Mohammed, J.M. Bishop & X. Xu 37–47

Seasonal variation in the composition and rate of change of the phytoplankton community in a deep subalpine lake (Lake Garda, Northern Italy). An application of nonmetric multidimensional scaling and cluster analysis
by N. Salmaso 49–68

Enzyme and colour variation in the hoplonemertean *Tetrastemma nigrifrons* from the Sea of Japan
by G.P. Manchenko & V.I. Kulikova 69–76

The breeding season of tilapia, *Oreochromis niloticus* L. in Lake Awassa (Ethiopian rift valley)
by D. Admassu 77–83

Succession and secondary production of gastropods in the Ebro Delta ricefields
by J. González-Solís & X. Ruiz 85–92

Existence of a macrophyte-dominated clear water state over a very wide range of nutrient concentrations in a small shallow lake
by M. Beklioglu & B. Moss 93–106

Size distribution of the amphipod *Paramoera walkeri* Stebbing along a depth gradient in Antarctica
by M.L. Costantini, S. Fazi & L. Rossi 107–112

Larval release rhythms and tidal exchange in the estuarine mudprawn, *Upogebia africana*
by T.H. Wooldridge & H. Loubser 113–121

Carbon flux between an estuary and the ocean: a case for outwelling
by P.E.D. Winter, T.A. Schlacher & D. Baird 123–132

Diel vertical migration and feeding rhythm of *Daphnia longispina* and *Bosmina coregoni* in Lake Toya, Hokkaido, Japan
by W. Makino, H. Haruna & S. Ban 133–143

Biometrical relationships, energy content and biochemical composition of *Neomysis mercedis* from Lake Washington
by P. Chigbu & T.H. Sibley 145–150

Effect of riparian land use on contributions of terrestrial invertebrates to streams
by E.D. Edwards & A.D. Huryn 151–159

Comparison between some epigean and hypogean populations of *Asellus aquaticus* (Crustacea: Isopoda: Asellidae)
by S. Turk, B. Sket & Ş. Sarbu 161–170
Relations among heterotrophic bacteria, chlorophyll-*a*, total phytoplankton, total zooplankton and physical and chemical features in the Paranoá reservoir, Brasília, Brazil
by C.W.C. Branco & P.A.C. Senna 171–181

Note
The swimming behavior of planktonic crustaceans colonizing algal mats
by J.I. Rybak 183–186

Books received 187–188

Book reviews 189–193

Author index 195